



PRESSGLASS

LEADING IN EUROPE

ACOUSTIC GLAZED UNITS

BASIC PRODUCTS

www.pressglass.com

We are an independent company and therefore, we offer products from all of the greatest suppliers: AGC Glass, Euroglas, Fenzi, Guardian, IGK Isolierglasklebstoffe, Kömmerling, Pilkington,

Rolltech, Saint-Gobain Glass, Technoform. We provide independent technical advice regarding the choice of components in our finished products. The solution we advocate will depend on the

product performance requirements, its place of use, the assumed processing methods and the required delivery period.

Our suppliers:



ACOUSTIC GLAZED UNITS



STRUCTURE [mm]	R _w [dB]	C [dB]	C _p [dB]
4T/10 Termo Ar/4/10 Termo Ar/4T	31	-1	-5
4/16Ar/4T	31	-2	-5
6/12Ar/6T	33	-1	-5
4T/12Ar/4/12Ar/4T	33	-2	-5
6/16Ar/4T	34	-1	-5
6,4 (VSG 33.1)/16Ar/4T	34	-1	-5
6,4 (VSG 33.1)/12Ar/6,4T (VSG 33.1T)	35	-2	-6
6T/12Ar/6/12Ar/6T	35	-2	-7
6/16Ar/6,4T (VSG 33.1T)	35	-3	-7
6T/12Ar/3/12Ar/4T	35	-2	-7
4T/12Ar/4/12Ar/6,4T (VSG 33.1T)	35	-1	-6
12 Float	35	-1	-3
6,4T (VSG 33.1T)/12Ar/6/12Ar/4T	36	-2	-6
6T/12Ar/4/12Ar/4T	36	-2	-6
6T/12Ar/5/12Ar/4T	36	-2	-6
8/16Ar/4T	36	-2	-6
8/18Ar/4T	36	-1	-5
8/20Ar/5T	36	-1	-5
8,8T (VSG 44.2T)/12Ar/4/12Ar/4T	36	-2	-7
8/20Ar/4T	37	-2	-6
8,8 (VSG 44.2)/16Ar/4T	37	-1	-5
8/16Ar/6,8T (VSG 33.2T)	37	-2	-6
8T/12Ar/6/12Ar/6T	37	-2	-6
8/16Ar/8,8T(VSG 44.2T)	37	-2	-5
6,4T (VSG 33.1T) Acoustic/12Ar/6/12Ar/4T	37	-2	-6
10/16Ar/4T	37	-3	-7
6,4 (VSG 33.1T)/12Ar/4/12Ar/6,4 (VSG 33.1T)	37	-3	-8
15 Float	37	-1	-3
12,8 (VSG 66.2)	37	-1	-3
8,4 (VSG 44.1)/16Ar/6T	38	-3	-7
8,8 (VSG 44.2)/12Ar/8,8T (VSG 44.2T)	38	-2	-6
8/14Ar/6T	38	-1	-5
8T/12Ar/4/12Ar/6T	38	-1	-5
8,4 (VSG 44.1) Acoustic/16Ar/4T	39	-1	-5
16,8 (VSG 88.2)	39	-1	-3

STRUCTURE [mm]	R _w [dB]	C [dB]	C _p [dB]
8,8 (VSG 44.2)/16Ar/6T	39	-2	-6
8,8 (VSG 44.2)/20Ar/6T	39	-2	-5
10/12Ar/6/12Ar/4	39	-2	-7
8,8T (VSG 44.2T)/12Ar/4/12Ar/6,4T (VSG 33.1T)	39	-2	-8
8T/12Ar/8/12Ar/6,8T (VSG 33.2T)	39	-3	-8
8,8T (VSG 44.2T)/12Ar/4/12Ar/8,8T (VSG 44.2T)	39	-3	-8
12,8 (VSG 66.2) Acoustic	40	-1	-3
12,8 (VSG 66.2)/12Ar/6T	40	-1	-5
6,4 (VSG 33.1) Acoustic/16Ar/6T	40	-2	-6
9,5 (VSG 44.4)/16Ar/6T	40	-2	-6
8,8 (VSG 44.2)/16Ar/6,4T(VSG 33.1T)	40	-2	-6
6/12Ar/8,4T (VSG 44.1T) Acoustic	40	-2	-6
6T/12Ar/6/12Ar/8,8T (VSG 44.2T)	40	-2	-7
9,5T (44.4T)/12Ar/6/12Ar/6T	40	-2	-7
6T/14Ar/4/14Ar/ 9,5T (VSG 44.4T)	40	-2	-8
6,4 (VSG 33.1) Acoustic/12Ar/6,4T (VSG 33.1T) Acoustic	40	-1	-5
6/16Ar/10,8T(VSG 55.2T)	40	-1	-4
8/20Ar/8,8T(VSG 44.2T)	40	-1	-4
8,8T (VSG 44.2T)/12Ar/6/12Ar/8,8T (VSG 44.2T)	40	-3	-8
10/16Ar/12,8T(VSG 66.2T)	41	-1	-4
13,5 (VSG 66.4)/16Ar/12T	41	-1	-4
6/20Ar/10,8T(VSG 55.2T)	41	-1	-5
8/12Ar/8,4T (VSG 44.1T) Acoustic	41	-2	-6
8,4 (VSG 44.1) Acoustic/16Ar/6T	41	-2	-6
8,8 (VSG 44.2) Acoustic/16Ar/6,8T (VSG 33.2T)	41	-2	-6
8/16Ar/10,8T (VSG 55.2T)	41	-1	-4
6T/12Ar/4/12Ar/8,8T (VSG 44.2T)	41	-3	-8
6T/12/6/12/8,8T (VSG 44.2T) Acoustic	41	-3	-8
16,8 (VSG 88.2) Acoustic	42	0	-3
13,5 (VSG 66.4)/16Ar/8T	42	-1	-5
8,8 (VSG 44.2) Acoustic/16Ar/6T	42	-3	-7
8,8 (VSG 44.2) Acoustic/20Ar/6T	42	-2	-6
6/16Ar/10,8T (VSG 55.2T) Acoustic	42	-3	-7
8/16Ar/8,8T (VSG 44.2T) Acoustic	42	-2	-6



STRUCTURE [mm]	R _w [dB]	C [dB]	C _p [dB]
12,8 (VSG 66.2) Acoustic/12Ar/8T	42	-2	-6
8T/12Ar/4/12Ar/10,8T (VSG 55.2T)	42	-2	-6
10/24Ar/8,8T (VSG 44.2T)	42	-1	-4
6T/12Ar/4/12Ar/8,8T (VSG 44.2T) Acoustic	42	-1	-6
8/20Ar/10,8T (VSG 55.2T)	42	-2	-5
12,8 (VSG 66.2) Acoustic/12Ar/10T	43	-1	-5
10/14/16,8T (VSG 88.2T)	43	-2	-4
6/20Ar/10,8T (VSG 55.2T) Acoustic	43	-2	-6
8,8 (VSG 44.2) Acoustic/12Ar/8,8T (VSG 44.2T)	43	-2	-6
12,8 (VSG 66.2)/12Ar/8,8T (VSG 44.2T)	43	-2	-6
12,8T (VSG 66.2T)/12Ar/6/12Ar/6T	43	-1	-6
6T/12Ar/6/12Ar/10,8T (VSG 55.2T)	43	-2	-7
8T/12Ar/6/12Ar/10,8T (VSG 55.2T)	43	-2	-6
9,5T (VSG 44.4T) /16Ar/12,8T (VSG 66.2T)	43	-2	-7
8T/12Ar/6/12Ar/8,8T (VSG 44.2T) Acoustic	43	-2	-7
8T/12Ar/6/12Ar/8,8T (VSG 44.2T)	43	-3	-8
8/16Ar/10,8T (VSG 55.2T) Acoustic	44	-3	-7
16,8 (VSG 88.2) Acoustic/12Ar/10T	44	-1	-4
8/20Ar/8,4T (VSG 44.1T) Acoustic	44	-2	-6
12,8T (VSG 66.2T)/16Ar/4/16Ar/6T	44	-2	-6
8,8T (VSG 44.2T) Acoustic/12Ar/6/10Ar/10	44	-3	-8
8T/12Ar/6/12Ar/10,8T (VSG 55.2T) Acoustic	44	-2	-7
8T/12/8/12/10,8T (VSG 55.2T)	44	-3	-7
8T/16Ar/6/16Ar/12,8T (VSG 66.2T)	45	-1	-5
9,5T (VSG 44.4T)/14Ar/4/14Ar/9,5T (VSG 44.4T) Acoustic	45	-2	-7
10,8 (VSG 55.2) Acoustic/12Ar/8,8T (VSG 44.2T) Acoustic	45	-2	-7
10,8T (VSG 55.2T) Acoustic/16Ar/6/16Ar/8T	45	-2	-7
10/16Ar/8,8T (VSG 44.2T) Acoustic	45	-2	-6
10/16Ar/12,8T (VSG 66.2T) Acoustic	45	-1	-4
9,5 (VSG 44.4)/20Ar/8,8T (VSG 44.2T) Acoustic	46	-3	-7
10T/12Ar/6/12Ar/12,8T (VSG 66.2T) Acoustic	46	-2	-6
8T/16Ar/6/16Ar/12,8T (VSG 66.2T) Acoustic	46	-2	-6
10/20Ar/8,8T (VSG 44.2T) Acoustic	46	-1	-5

STRUCTURE [mm]	R _w [dB]	C [dB]	C _p [dB]
10/20Ar/10,8T (VSG 55.2) Acoustic	46	-1	-4
12,8 (VSG 66.2) Acoustic/16Ar/8,8T (VSG 44.2T) Acoustic	47	-2	-7
11,5 (VSG 55.4)/20Ar/13,5T (VSG 66.4T)	47	-1	-4
12,8T (VSG 66.2T)/16Ar/4/16Ar/9,5T (VSG 44.2T)	47	-1	-4
13,5T (VSG 66.4T) Acoustic/14Ar/12,8T (VSG 66.2T) Acoustic	48	-2	-6
8,8T (VSG 44.2T) Acoustic/12Ar/6/12Ar/12,8T (VSG 66.2T) Acoustic	48	-3	-8
12,8T (VSG 66.2T)/16Ar/4/16Ar/27,8T P8B	48	-1	-3
15,5T (VSG 68.4T) Acoustic/12/4/12Ar/15T (VSG 66.8T) Acoustic	50	-1	-3
16,8 (VSG 88.2) Acoustic /16Ar/12,8T (VSG 66.2T) Acoustic	50	-1	-4
12,8 (VSG 66.2) Acoustic/20Ar/8,8T (VSG 44.2T) Acoustic	51	-2	-7
15,5 (VSG 68.4) Acoustic/15Ar/16,8T (VSG 88.2T) Acoustic	51	-1	-4
16,8 (VSG 88.2) Acoustic/20Ar/12,8T (VSG 66.2T) Acoustic	51	-1	-3
15,5 (VSG 68.4) Acoustic/15Ar/4/12Ar/16,8T (VSG 88.2T) Acoustic	52	-1	-3



We constantly modify our manufacturing processes and change habits to limit the negative effect on the environment. In order to facilitate the changes, we have adopted ISO 14001, the worldwide management system for environmental protection.

We kindly request you to minimize the negative effect of this leaflet on the environment by using it multiple times. Please recycle the used leaflet, using the waste sorting method. Thanks to that, the materials can be used again.

Our plants and products are audited or certified by acknowledged certification bodies, including:



We make every effort to ensure that presented publication contained current information as of the date of print.
Due to the continuous development of our product range may differ from market to market. Product's availability should always be confirmed with Sales Department.

