



# ift-Product Passport Insulating Glass Units according to EN 1279-5 : 2010-11














No. 692 6040271-1-8  
14-003316-PR06 (PP-H01-11-en-03)



Valid until September 2021

Client	PRESS GLASS SA Nowa Wies Kopalniana 9 42-262 Poczesna Poland	
Production plant	PRESS GLASS SA ul. Cielmicka 44 PL 43-100 Tychy	PRESS GLASS SA ul. Geodetów 4 PL 97-500 Radomsko
	PRESS GLASS SA ul. Skarszewska 11 PL 83-110 Tczew	PRESS GLASS d.o.o. Ul. dr. Marijana Mlinarica 5 HR 42203 Jalžabet
Product family 1	Insulating glass units with polyurethane edge seal	
Product family 2	Insulating glass units with silicone edge seal	
Product family 3	Insulating glass units with polysulphide edge seal	
Product designation	PRESS GLASS SA IGU	
Moisture penetration	EN 1279-2	
Gas leakage rate	EN 1279-3	

## Performance characteristics (according to EN 1279-5 Annex ZA.1)

Characteristics	Resistance to Fire	Reaction to fire	External fire performance	Bullet resistance	Explosion resistance	Burglar resistance	Pendulum body impact resistance
Class / Value	 npd	 npd	 npd	 npd	 npd	 npd	 npd
Characteristics	Resistance against sudden temperature changes	Resistance against wind, snow, permanent and live loads	Sound reduction index	Thermal properties	Light transmittance and reflection	Solar energy characteristics	
Class / Value	 $\Delta T$	 ...mm*	 $R_w^*$	 $U_g^*$	 $\tau_v, \rho_v^*$	 $g^*$	

npd = no performance determined /  
\* Values depend upon product structure (see type list in annex)

ift Rosenheim  
28.10.2018

*Christian Kehr*

Christian Kehr, Dipl.-Ing. (FH)  
Head of  
Certification & Surveillance Body

*Alexander Meister*

Alexander Meister, Dipl.-Ing. (FH)  
Project engineer  
Certification & Surveillance Body

### Basis

DIN EN 1279-5 : 2010-11;  
Certification Scheme for Insulating Glass Units (QM 327)  
Product Passport No.  
14-003316-PR06 (PP-H01-11-de-03) dated 26.09.2018

### Instructions for use

The ift-product passport demonstrates the general performance of the designated product families – determined on the basis of testing, calculation or assessment.

The values / classes indicated refer to the respective object described in the individual classification reports.

Implementation of the performance characteristics is subject to national technical regulations.

This product passport forms the basis for issuing the ift Certificate of Conformity which documents conformity of the end products and of factory production control according to the above-mentioned basis by regular third party control of the manufacturer by the ift Rosenheim.

The product passport is valid for 3 years provided that the above-mentioned basis or the products do not change significantly during this time.

### Notes on publication

The ift-Guidance Sheet "Conditions and Guidance for the Use of ift Test Documents" applies. The cover sheet can be used as abstract.

### Contents

The product passport contains a total of 24 pages	Page
1 Overview, basis systems	
Insulating glass unit	2
2 Classification matrix according to EN 1279-5	4
3 Product families and components	5
4 Performance characteristics according to product standard EN 1279-5	17
5 Special instructions for use 22	
Annex 1 Type list	